VERIFICATION



No. 6C240126.HSP0S28

Verification's Holder:	HEBEI SENHAI PIPELINE CO., LTD. No. 8#-716, Yihe Square, West of Jiefang Road, Yunhe District, Cangzhou City, Hebei, China.
Manufacturer:	Hebei Senhai Pipeline Co., Ltd. No.7 Beihai Road, Economic and Technological Development Zone, Cangzhou City, Hebei China
Verification ECM Mark:	Type Approved
Product: Model(s):	Steel Pipe (see the following annex)
Verification to:	Standard: EN 10210-1:2006, EN 10210-2:2019, EN 10219-1:2006, EN 10219-2:2019, EN 10217-1:2019, EN 10025-1:2004, EN 10025-2:2019, EN 10204:2004, EN 10216-2:2013+A1:2019, EN 10224:2002
	related to CE Directive(s): 2014/68/EU (Pressure Equipment)

This document has been issued in accordance with the European Commission's note of 14 September 2022 ref. Ares (2022) 6342894 concerning voluntary certifications with non-notified procedure and for products intended for third countries outside the EU market.

The manufacturer has voluntarily decided to submit its documents concerning the above-mentioned product for verification. Ente Certificazione Macchine confirms that the documentation made available and immediately returned to it, as containing sensitive data, meets the essential requirements of the above-mentioned directives. The verification activity carried out exclusively concerned the technical documentation and no verification was carried out on the product. This document cannot replace the EC Declaration of Conformity. The above conformity mark can be affixed to the technical documentation in accordance with the ECM regulation on its issue and use, published on the website www.entecerma.it

Issuance date: 26 January 2024

Expiry date: 25 January 2029



Approver Ente Certificazione Macchine Legal Representative Luca Bedonni

Ente Certificazione Macchine Srl Via Ca' Bella, 243 – Loc. Castello di Serravalle – 40053 Valsamoggia (BO) - ITALY TALY TALY 43 +39 051 6705141 = +39 051 6705156 🖂 info@entecerma.it 🔇 www.entecerma.it

Annex I

No. 6C240126.HSP0S28



Model(s):

Size: 21.3-1219.0mm x 2.3-40.0mm Material: S235JRH; S275J0H/J2H; S355J0J/J2H/K2H, P195TR1/TR1, P235TR1/TR2, P265TR1/TR2, P195GH, P235GH, P265GH, 16Mo3, 13CrMo4-5, 10CrMo9-10; L235, L275, L355